Notice of Allowability	Application No.	Applicant(s)	
	09/767,292	DOSKOW ET AL.	
	Examiner	Art Unit	
	Paula W. Klimach	2135	
The MAILING DATE of this communication at All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOLNOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.	IS (OR REMAINS) CLOSED in the 85) or other appropriate communities. This application is sub-	his application. If not includ ication will be mailed in due	ed course. THIS
1. A This communication is responsive to <u>08/02/07</u> .		•	
2. ⊠ The allowed claim(s) is/are <u>1-40</u> .			
3. Acknowledgment is made of a claim for foreign priorit a) All b) Some* c) None of the: 1. Certified copies of the priority documents he 2. Certified copies of the priority documents he 3. Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATA noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be sure INFORMAL PATENT APPLICATION (PTO-152) which 5. CORRECTED DRAWINGS (as "replacement sheets") (a) including changes required by the Notice of Drafts of the including changes required by the attached Examina Paper No./Mail Date (b) including changes required by the attached Examina Paper No./Mail Date (b) Including changes required by the attached Examina Paper No./Mail Date (b) DEPOSIT OF and/or INFORMATION about the decate the sheet. Replacement sheet(s) should be labeled as such attached Examiner's comment regarding REQUIREMENT.	nave been received. Provided in Application of documents have been received in Application of documents have been received in Application. TE" of this communication to file an ENMENT of this application. Submitted. Note the attached EXAM gives reason(s) why the oath or domust be submitted. Person's Patent Drawing Review (Comment or in the header according to 37 CFR apposit of BIOLOGICAL MATER	No in this national stage application this national stage application this national stage application the reply complying with the result. MINER'S AMENDMENT or Note claration is deficient. (PTO-948) attached in the Office action of the drawings in the front (not the 1.121(d).	equirements NOTICE OF
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-94) 3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Depo of Biological Material	6. ☐ Interview Sun Paper No./M 7. ☑ Examiner's A sit 8. ☐ Examiner's S 9. ☐ Other	rmal Patent Application mary (PTO-413), lail Date mendment/Comment tatement of Reasons for All	,

THANHNGA TRUONG PRIMARY EXAMINER An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael Strauss on 11/9/07.

Please replace claim 25 with:

25. A method of securely interfacing control links of respective communication networks, comprising the steps of:

exchanging control data messages between a remote communication network and a local signaling communication system;

decrypting a certificate portion of said control data messages including a time stamp so as to authenticate originating point code information corresponding to said control data messages and, in response to said time stamp, determine if said control data messages are chronologically sequenced based on said time stamp so as to determine control message chronological sequencing;

selectively communicating, in response to said decrypting step, control data messages between central office switching systems; and

selectively providing switched call connections between at least two of the local communication links in response to predetermined control data messages.

Application/Control Number: 09/767,292

Art Unit: 2135

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Paula W. Klimach whose telephone number is (571) 272-3854.

The examiner can normally be reached on Mon to Thr 9:30 a.m to 5:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kim Vu can be reached on (571) 272-3859. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

PWK

Monday, November 12, 2007

THANHNGA TRUONG PRIMARY EXAMINER

Thanking 6. Try AUZI35

Page 3